

সিস্টেম ম্যানেজমেন্ট অধিশাখা	
ডায়েরী নং: ২২৬	তারিখ: ২৪/০৪/২০২৬
সিস্টেম ম্যানেজমেন্ট শাখা	
নেটওয়ার্ক এন্ড অপারেশন শাখা	
অন্যান্য	
পরিচালক (সিস্টেম ম্যানেজমেন্ট)	

Mr. Hydan
CP/e-Service
28.08.26

Bangladesh Parliament Secretariat
Admin Section

Notification of Award (Form PG3-9)

Contract No: 11.00.0000.000.604.07.0139.25/265

Date: 22/04/2026

To
Medi Square Ltd
House No. 8A/10, road No. 13, Doreen Tower
(1st floor). Dhaka-1209.

This is to notify you that your Tender dated 26.02.2026 for the supply of ECG Machine, Slit Lamp & Auto Refractometer {(package-14(Lot-4, Item No-04, 08 & 09)} and related Services for Bangladesh Parliament Secretariat for the Contract Price of Tk.(625000+991000+909990)=25,25,990/- (Twenty five lac twenty five thousand nine hundred ninety only) as evaluated in accordance with the Instructions to Tenderers, has been approved by the competent authority.

You are thus requested to take following actions:

- furnish a Performance Security in the specified format and in the amount of Tk. 2,53,000/- (Two lac fifty three thousand) within 7(Seven) working days of issuance of this letter but no later than 30/04/2026, in accordance with ITT Clause No 61;
- sign the Contract within 12(Twelve) days of issuance of this letter but no later than 03/05/2026 in accordance with ITT Clause 66

You may proceed with the execution of the supply of Goods only upon completion of the above tasks. You may also please note that this Notification of Award shall constitute the formation of this Contract which shall become binding upon you.

We attach the draft Contract and all other documents for your perusal and signature.

Md. Mohidul Haque
22.04.26
(Md. Mohidul Haque)
Senior Assistant Secretary
Ph: 55029007
Date: 22/04/2026

অনুলিপি:

- ১) পরিচালক (সিস্টেম ম্যানেজমেন্ট), জাতীয় সংসদ সচিবালয়, ঢাকা। পিপিআর, ২০২৫ মোতাবেক নির্ধারিত ফরমেটে NOAটি আগামী ২৬.০৪.২০২৬ তারিখের মধ্যে সিপিটিইউ এর ওয়েবসাইটে প্রকাশের প্রয়োজনীয় ব্যবস্থা গ্রহণের জন্য নির্দেশক্রমে অনুরোধ করা হলো। এছাড়া NOAটি সিপিটিইউ এর ওয়েবসাইটে প্রকাশের পর তা স্বাক্ষর প্রশাসন শাখায় প্রেরণের জন্যও অনুরোধ করা হলো।